

Private Bag X82081, Rustenburg, 0300 • Tel: 014 590 1700 • www.platinumhealth.co.za phscript@platinumhealth.co.za

PLATFREEDOM CHRONIC ILLNESS BENEFIT APPLICATION FORM

- 1. Please complete the chronic illness benefit application form in PRINT with black ink and forward to Platinum Health.
- 2. Relevant test results must be attached.
- 3. Prescription must be attached.
- 4. Failure to provide all information, will result in unnecessary delays.

Please complete and email to phscript@platinumhealth.co.za

PATIEN	T INFORMATION (Please c	omplete in full)	
Platinum Health me	mbership number:	F	atient dependant code:
Title: Prof Dr	Mr Ms Initials: S	urname:	
Names in full (as pe	r identity document):		
Date of birth: C	C Y Y M M D D E	-mail:	
Tel no (Home):	Tel no (Wo	rk):	Cell no:
Sex: Male Fer	male Language preference: English	n Afrikaans	
The outcome of this	application must be communicated to n	ne via Email SMS	
		••••••	
2 DECLA	RATION		
I hereby apply for P from time to time.	LATINUM HEALTH CHRONIC ILLNESS E	ENEFIT and agree that I will be bo	und by the Rules of the Scheme as amended
I warrant that the in	formation in this application, whether it is documents provided by the healthcare p		omplete and correct. This also applies to my dependants or myself.
Principal member signature:			
Patient signature:		(If the patient is a minor, parent, leg	gal guardian or custodian must sign the form.)
Date: C C	Y Y M M D D		

Patient name and surname: 3 APPLICATION FOR						
3 APPLICATION FOR						
3 APPLICATION FOR						
	THE TREATMENT OF H	IYPERTENSION (to be completed	d by the doctor			
atient weight in kilogram:	Patient height in metres:					
When did this patient commence drug th	nerapy for hypertension? C C Y	Y M M D D				
	six months and all newly diagnosed patie e at least two weeks apart in order to dete	ents please supply two initial blood pressure ermine the stage of hypertension.	ereadings			
m	mHg Date: C C Y	Y M M D D				
2 m	mHg Date: C C Y	Y M M D D				
Current BP reading (for all patients):	/ mmHg					
oes the patient have target organ dama	age or any of the associated conditions a	as listed below? Tick the relevant conditions	s below.			
Left ventricular hypertrophy	Myocardial infarction	Hypertensive retinopathy				
Angina	Chronic renal disease	Prior CABG (Coronary artery by graft)	Prior CABG (Coronary artery bypass graft) Heart failure			
Stroke TIA	Peripheral arterial disease	Heart failure				
rimary Hyperlipidaemia		PERLIPIDAEMIA (to be complete	d by the docto			
Primary Hyperlipidaemia Please attach the diagnostic lipogram and Patient weight in kilogram:	THE TREATMENT OF HY d current TSH. The application cannot be Patient height in metres:		d by the docto			
Primary Hyperlipidaemia Please attach the diagnostic lipogram and Patient weight in kilogram: Current BP reading (for all patients):	d current TSH. The application cannot be Patient height in metres:		d by the docto			
Primary Hyperlipidaemia Please attach the diagnostic lipogram and Patient weight in kilogram: Current BP reading (for all patients): Does the patient smoke: Yes No	d current TSH. The application cannot be Patient height in metres:	e reviewed if this is not submitted.	d by the docto			
rimary Hyperlipidaemia rlease attach the diagnostic lipogram and ratient weight in kilogram: current BP reading (for all patients): reading the patient smoke: reading the patient smoke amily history (Please complete the table	d current TSH. The application cannot be Patient height in metres: / mmHg	e reviewed if this is not submitted.	d by the docto			
Primary Hyperlipidaemia Please attach the diagnostic lipogram and Please attach the diagnostic lipogram and Please attach the diagnostic lipogram and Please the table attached to the patient smoke: Poes the patient smoke: Yes No Please complete the table attached to the patient smoke at the patient sm	d current TSH. The application cannot be Patient height in metres: / mmHg e below for primary and familial hyperlipid	e reviewed if this is not submitted.				
rimary Hyperlipidaemia lease attach the diagnostic lipogram and attient weight in kilogram: current BP reading (for all patients): loes the patient smoke: Yes No amily history (Please complete the table Event description Age at time of event/death	d current TSH. The application cannot be Patient height in metres: / mmHg e below for primary and familial hyperlipid	daemia) BROTHER SI SI SI SI SI SI SI SI SI S				
rimary Hyperlipidaemia lease attach the diagnostic lipogram and attent weight in kilogram: urrent BP reading (for all patients): oes the patient smoke: Yes No amily history (Please complete the table Event description Age at time of event/death amilial hyperlipidaemia lease attach the diagnosing lipogram. P Xanthelasma econdary prevention	Patient height in metres: / mmHg below for primary and familial hyperlipid ATHER MOTHER Please indicate any signs of familial hyperl Cerebrotendinous xanthomaste	daemia) BROTHER SI SI SI SI SI SI SI SI SI S				
rimary Hyperlipidaemia lease attach the diagnostic lipogram and attent weight in kilogram: urrent BP reading (for all patients): oes the patient smoke: Yes No amily history (Please complete the table Event description Age at time of event/death Event description Age at time of event/death Xanthelasma econdary prevention lease indicate the condition(s) your patients:	Patient height in metres: / mmHg be below for primary and familial hyperlipid ATHER MOTHER Cerebrotendinous xanthomaste ent has: Type 1 diabetes who has had the	daemia) BROTHER SI SI SI Arcus Cornealis Any of the vasculitides eg SLE	STER			
rimary Hyperlipidaemia lease attach the diagnostic lipogram and lease attach the diagnostic lipogram and lease attach the diagnostic lipogram and lease the patient smoke: Solves the patient smoke: Yes No lamily history (Please complete the table lease the description Age at time of event/death Age at time of event/death I wanthelasma Recondary prevention I lease indicate the condition(s) your patients Type 2 diabetes Nephrotic syndrome and chronic	Patient height in metres: / mmHg be below for primary and familial hyperlipid ATHER MOTHER Please indicate any signs of familial hyperl Cerebrotendinous xanthomaste	daemia) BROTHER SI SI Iipidaemia in these patients: osis Arcus Cornealis he Any of the vasculitides eg SLE	STER			
Primary Hyperlipidaemia Please attach the diagnostic lipogram and Patient weight in kilogram: Current BP reading (for all patients): Does the patient smoke: Yes No Family history (Please complete the table Event description Age at time of event/death Familial hyperlipidaemia Please attach the diagnosing lipogram. P Xanthelasma Secondary prevention Please indicate the condition(s) your patients Type 2 diabetes	d current TSH. The application cannot be Patient height in metres: / mmHg be below for primary and familial hyperlipid ATHER MOTHER Cerebrotendinous xanthomaste ent has: Type 1 diabetes who has had the condition for more than 10 year	daemia) BROTHER SI Sipidaemia in these patients: Osis Arcus Cornealis Any of the vasculitides eg SLE there is associated renal disease	STER			
Primary Hyperlipidaemia Please attach the diagnostic lipogram and Patient weight in kilogram: Current BP reading (for all patients): Does the patient smoke: Yes No	d current TSH. The application cannot be Patient height in metres: / mmHg	e reviewed if this is not submitted.	d by the do			

Platinum Health membership number:					
Patient name and surname:					

APPLICATION FOR THE TREATMENT OF TYPE 2 DIABETES

- 1. Please attach a laboratory report that confirms the diagnosis of Type 2 Diabetes.
- 2. The Chronic Illness Benifit will fund medication for Type 2 Diabetes if the criteria for the diagnosis of this condition are met based on the SEMDSA Guidelines.
- 3. The specicic criteria are:
 - Fasting plasma glucose concentration > 7 mmol/l;
 - Casual plasma glucose concentration > 11.1 mmol/l; and
 - Two hour post-glucose or > 11.1 mmol/l during an Oral Glucose Tolerance Test (OGTT).
- 4. Please note that based on cost and clinical quidelines, applications for glitazones, nateglinide, GLP-1 agonists, and DPP-4 antagonists require a motivation for use over conventional therapy from a specialist physician or endocrinologist.

CURRENT MEDICATION REQUIRED (to be completed by the doctor)



NOTE TO MEMBER AND DOCTOR: GENERIC SUBSTITUTION WILL BE APPLIED, PLATINUM HEALTH WILL APPLY MMAP. PLATINUM HEALTH HAS ADOPTED A REFERENCE PRICING PROGRAMME, WHERE THE PATIENT NOTWITHSTANDING ELECTS TO TAKE A HIGHER PRICED PRODUCT PRESCRIBED THE PATIENT IS LIABLE FOR THE DIFFERENCE IN THE CALCULATED GROSS PRICES FOR THE RESPECTIVE PRODUCTS.

ICD-10	DESCRIPTION OF DIAGNOSIS	DATE OF FIRST DIAGNOSIS	MEDICATION NAME, STRENGTH AND DOSAGE	HOW LONG PATIENT L MEDICA	G HAS THE ISED THIS ATION?	MAY A GENERIC BE USED?		
			Doortal	YEARS	MONTHS	YES	NO	
							9 9 9 9 9	
							9 9 9 9 9 9 9	
		0 0 0 0 0 0 0 0			•			

		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0						

DOCTOR'S DETAILS AND SIGNATURE (to be completed by the doctor)



NOTE TO DOCTOR: THE DOCTOR'S FEE FOR COMPLETION OF THIS FORM WILL BE REIMBURSED ON CODE 0199, ON SUBMISSION OF A SEPARATE CLAIM. SUBJECT TO SCHEME RULES AND AVAILABILITY OF FUNDS. IN LINE WITH LEGISLATIVE REQUIREMENTS, PLEASE ENSUR E THAT WHEN USING CODE 0199, YOU SUBMIT THE ICD-10 DIAGNOSIS CODE(S). AS PER INDUSTRY STANDARDS, THE APPROPRIATE ICD-10 CODE(S) TO USE FOR THIS PURPOSE WOULD BE THOSE REFLECTIVE OF THE ACTUAL CHRONIC CONDITION(S) FOR WHICH THE FORM WAS COMPLETED. IF MULTIPLE CHRONIC CONDITIONS WERE APPLIED FOR, THEN IT WOULD BE APPROPRIATE TO LIST ALL THE RELEVANT ICD-10 CODES. YOU MAY CALL 014 590 1700 (OPTION 4) FOR CHANGES TO YOUR PATIENT'S MEDICATION FOR AN APPROVED CONDITION. AN APPLICATION FORM ONLY NEEDS TO BE COMPLETED WHEN APPLYING FOR A NEW CHRONIC CONDITION.

Name:							BHF practice number:		
Date:	с с	ΥΥ	М М	D	D	Speciality:			
Tel no ((Practice):					Doctor's signature:			

Please complete and email to phscript@platinumhealth.co.za

Platinum Health membership number:						
Patient name and surname:			••••••	•••••	 •••••	

PRESCRIBED MINIMUM BENEFITS (PMBs)

ADDISON'S DISEASE: Application form must be completed by a paediatrician or endocrinologist.

ASTHMA: The South African Treatment Guidelines for Asthma, as published in the SAMJ are applied to all applications.

BIPOLAR MOOD: Disorder Application form must be completed by a psychiatrist.

BRONCHIECTASIS: Application form must be completed by a paediatrician or pulmonologist.

CARDIAC FAILURE: None CARDIOMYOPATHY: None

CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD): Please attach a lung function test (LFT) report which includes the FEV1/FVC and FEV1 post bronchodilator use. CHRONIC RENAL DISEASE: 1. Please attach proof of diagnosis completed by a nephrologist. 2. Please attach a diagnosing laboratory report reflecting creatinine clearance. 3. Please attach a report reflecting haemoglobin or haematocrit levels when applying for erythropoietin, indicating if the results are on or off drug

therapy.

CORONARY ARTERY DISEASE: Please provide details of previous cardiovascular event(s) in patient, if applicable.

CROHN'S DISEASE: Please attach proof of diagnosis completed by a gastroenterologist.

DIABETES INSIPIDUS: Please attach proof of diagnosis completed by an endocrinologist.

DIABETES TYPE 1: None

DIABETES TYPE 2: Refer to Section 5.

DYSRHYTHMIAS: None

EPILEPSY: None **GLAUCOMA:** None

HAEMOPHILIA: Please attach a laboratory report reflecting factor 8 or 9 levels. HIV/AIDS (ANTIRETROVIRAL THERAPY): Documented proof that patient qualified for

ART treatment in accordance with National Antiretroviral Treatment guidelines.

HYPERLIPIDAEMIA: Section 4 must be completed by the doctor.

HYPERTENSION: Section 3 must be completed

YPOTHYROIDISM: Please attach the initial or diagnostic laboratory report that confirms the diagnosis of hypothyroidism, including TSH, T4 and T3 levels.

MULTIPLE SCLEROSIS (MS): Please attach proof of diagnosis completed by a neurologist.

PARKINSON'S DISEASE: Only applications from a neurologist for non-formulary items will be considered.

RHEUMATOID ARTHIRITIS: 1. Please attach proof of diagnosis completed by a rheumatologist. 2. Applications for antiinflammatories as monotherapy (on its own) must be motivated for by a rheumatologist. 3. Applications for COXIB's must be accompanied by a motivation for its use over conventional anti-inflammatories. 4. Only applications from a rheumatologist for non-formulary items will be considered.

SCHIZOPHRENIA: Application must be completed by a psychiatrist.

SYSTEMIC LUPUS ERYTHEMATOSUS: Application must be completed by a rheumatologist, nephrologist or physician. ULCERATIVE COLITIS: Please attach proof of diagnosis completed by a gastroenterologist.

OTHER CHRONIC DISEASES

ACNE: Only applications from a dermatologist for isotretinoin will be considered.

ALERGIC RHINITIS: None

ALZHEIMER'S DISEASE: Please attach proof of diagnosis by a psychiatrist or neurologist.

ANKYLOSING SPONDYLITIS: 1. Please attach proof of diagnosis by a rheumatologist. 2. Application for COXIBS must be accompanied by a motivation for its use over conventional antiinflammatories. 3.

ATTENTION DEFICIT DISORDER (ADD): 1. Full psychometric evaluation required. 2. Diagnosis by psychiatrist.

BECKET'S DISEASE

CYSTIC FIBROSIS: Please attach proof of diagnosis by a pulmonologist (or paediatrician if the patient is a child).

DEPRESSION: 1. Application for first line therapy will be accepted from GP's for six months only. 2. Psychiatrist motivation required for further cover.

DERMATOMYOSITIS

GASTRO-OESOPHAGEAL REFLUX DISEASE:

Applications must be accompanied by latest gastroscopy report.

GENERALISED ANXIETY DISORDER:

Application for first line therapy will be accepted from GP's for six months only. Psychiatrist motivation required for further cover.

GOUT (CHRONIC): None.

MIGRAINE: Only first line therapy will be considered from GP's, otherwise application from neurologist.

MOTOR NEURON DISEASE: None

MYASTHENIA GRAVIS

OBSESSIVE COMPULSIVE DISORDER:

Application for first line therapy will be accepted from GP's for six months only. Psychiatrist motivation required for further cover.

OSTEOARTHRITIS: X-ray report.

OSTEOPENIA

OSTEOPOROSIS: Application must be accompanied by a DEXA bone mineral density (BMD) scan Report.

PAGET'S DISEASE: Please attach proof of diagnosis by a specialist physician or paediatrician (in case of a child).

PANIC DISORDER: Application for first line therapy will be accepted from GP's for six months only. Psychiatrist motivation required for further

POLYARTERITIS NODOSA

POST TRAUMATIC STRESS DISORDER:

Application for first line therapy will be accepted from GP's for six months only. Psychiatrist motivation required for further cover.

PSORIASIS: None

PULMONARY INTERSTITIAL FIBROSIS:

Diagnosis by Pulmonologist

SJOGREN'S SYNDROME

SYSTEMIC SCLEROSIS

URINARY INCONTINENCE: None

URTICARIA

VENOUS THROMBOTIC DISORDERS

WEGENER'S GRANULOMATOSIS

Please complete and email to phscript@platinumhealth.co.za